

CUTTING SHEET FOR STD INSULATED ELECTRIC SHUTTER DOLBY									
JOB NUMBER =		J53253-7							
CLIENT		BAM							
SITE		Wellingborough							
SHUTTER REF =		RS7							
Page		7	of	7	Date issued			31/05/2024	
					Required by				
DESCRIPTION		colour			Galv				
BETWEEN GUIDES=		3949	Notes						
U/SIDE OF PLATES		3090							
Guide depth		78							
BRK THK		6							
BRK SIZE		450/600							
WIDTH									
HEIGHT		450							
O/all Bracket width		4299							
back guide to in bracket		91							
Lath Type		90							
end locks thickness		10							
BARREL /BRK plain end		60							
barrel bracket gear end		75							
ITEM		SIZE	NO OFF	FINISH	ORDER NO	Manu by	checked		
GUIDES		78X68	3140	2	Galv				
Guide angle		100X65X3	3090	2	Primed				
HEAD BRACKETS			400x450x6	1	Primed				
HEAD BRACKETS			600x450x6	1					
Head Plate angles		100x65x3	3540	2	Primed				
curtain									
Laths 90MM Dolby LATH			4063	44	Galv				
Bottom bar galv tee			4063	1	Galv				
end locks nylon									
BETWEEN BRACKETS			4287	1					
Safety brake			GB1/2	1					
BARREL 139X5mm			4152	1	PRIMED				
MOTOR			ranger 90	1					
casing									
SPECIAL ITEMS									
Head plate stiffener required									
Top Hat Bracket									
Electrical Spec									
Control panel 959									
Cable 3m									
57t drive wheel to 15t sprocket									
brush strip @ 4315mm									
Asset tag		J53253-7							
checked by			Date						
Installation Engineer			Date						

Polyester Powdercoating list									
Job Number	J53253-7								
SITE	BAM								
Customer	BAM								
Cost per sq m	16.5								
Product						Cost			
Ref	RS7		Colour	Galv		£219.18			
Overall size	4.299	wide x	3.09	Height					
ITEM			SIZE	NO OFF					
GUIDES		78X68	3140	2					
Guide angle		100X65X3	3090	2					
HEAD BRACKETS			400x450x6	1					
HEAD BRACKETS			600x450x6	1					
Head Plate angles		100x65x3	3540	2					
curtain									
Laths 90MM Dolby LATH			4063	44					
Bottom bar	galv tee		4063	1					
end locks nylon									
casing			0	0					
			Total cost			£219.18			
Additional items									

[illegible]